IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): Cosmetic A cosmetic composition adapted for a topical application on the skin comprising, in a medium compatible with the skin:

- at least one tensioning agent, the said tensioning agent being present in a content ranging from 0.01% to 20% relative to the total weight of the composition; and
- at least one non-elastomeric, water-insoluble film-forming linear block ethylenic polymer, the said polymer being present in a content ranging from 0.01% to 20% relative to the total weight of the composition.

Claim 2 (Currently Amended): Cosmetic The cosmetic composition according to Claim 1, the said composition being an anti-wrinkle composition.

Claim 3 (Currently Amended): Cosmetic The cosmetic composition according to Claim 1-or-2, in which the tensioning agent is an agent that produces, at a concentration of 7% in water, a shrinkage of isolated *stratum corneum*, measured using an extensometer, of more than 1% and preferably of more than 1.5% at 30°C under a relative humidity of 40%.

Claim 4 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 1 to 3 Claim 1, in which the tensioning agent is present in the composition in a content ranging from 1% to 10% relative to the total weight of the composition.

Claim 5 (Currently Amended): Cosmetic The cosmetic composition according to any one of the preceding claims Claim 1, in which the tensioning agent is chosen from synthetic

polymers, polymers of natural origin, mixed silicates, wax microparticles and colloidal particles of mineral fillers, and mixtures thereof.

Claim 6 (Currently Amended): Cosmetic The cosmetic composition according to Claim 5, in which the synthetic polymers are chosen from polyurethane polymers and copolymers, acrylic polymers and copolymers, sulfonated isophthalic acid polymers, grafted silicone polymers, water-soluble or water-dispersible polymers comprising water-soluble or water-dispersible units and units with an LCST, and mixtures thereof.

Claim 7 (Currently Amended): Cosmetic The cosmetic composition according to Claim 5, in which the polymers of natural origin are chosen from plant proteins and plant protein hydrolysates, polysaccharides of plant origin optionally in the form of microgels, and latices of plant origin, and mixtures thereof.

Claim 8 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 1 to 7 Claim 1, in which the ethylenic polymer is present in a content ranging from 1% to 10% relative to the total weight of the composition.

Claim 9 (Currently Amended): Cosmetic The cosmetic composition according to any one of the preceding claims Claim 1, in which the said block ethylenic polymer comprises at least one first block and at least one second block that are mutually incompatible and that have different glass transition temperatures (Tg), the said first and second blocks being connected together via an intermediate segment comprising at least one constituent monomer of the first block and at least one constituent monomer of the second block, the said polymer having a polydispersity index I of greater than 2.

Preliminary Amendment

Claim 10 (Currently Amended): Cosmetic The cosmetic composition according to Claim 9, in which the polymer has a polydispersity index of greater than or equal to 2.5 and preferably greater than or equal to 2.8.

Claim 11 (Currently Amended): Cosmetic The cosmetic composition according to Claim 10, in which the polymer has a polydispersity index ranging from 2.8 to 6.

Claim 12 (Currently Amended): Cosmetic The cosmetic composition according to any one of the preceding claims Claim 10, in which the polymer has a weight-average mass (Mw) of less than or equal to 300 000.

Claim 13 (Currently Amended): Cosmetic The cosmetic composition according to any one of the preceding claims Claim 1, in which the polymer has a weight-average mass (Mw) ranging from 35 000 to 200 000 and better still from 45 000 to 150 000.

Claim 14 (Currently Amended): Cosmetic The cosmetic composition according to any one of the preceding claims Claim 1, in which the polymer has a number-average mass (Mn) of less than or equal to 70 000.

Claim 15 (Currently Amended): Cosmetic The cosmetic composition according to any one of the preceding claims Claim 1, in which the polymer has a number-average mass (Mn) ranging from 10 000 to 60 000 and better still from 12 000 to 50 000.

Claim 16 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 9 to 11 Claim 9, in which the difference in temperature between the glass

Preliminary Amendment

transition temperatures (Tg) of the first and second blocks is greater than 20°C, preferably greater than 30°C and better still greater than 40°C.

Claim 17 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 9 to 11 and 16 Claim 9, in which the first block is chosen from:

- a) a block with a Tg of greater than or equal to 40°C,
- b) a block with a Tg of less than or equal to 20°C,
- c) a block with a Tg of between 20 and 40°C, and the second block being chosen from a category a), b) or c) different from the first block.

Claim 18 (Currently Amended): Cosmetic The cosmetic composition according to Claim 17, in which the block with a Tg of greater than or equal to 40°C has a Tg ranging from 40°C to 150°C.

Claim 19 (Currently Amended): Cosmetic The cosmetic composition according to Claim 17-or 18, in which the block with a Tg of greater than or equal to 40°C is a homopolymer or a copolymer.

Claim 20 (Currently Amended): Cosmetic The cosmetic composition according to Claim 19, in which the block with a Tg of greater than or equal to 40°C, when it is a homopolymer, is derived from monomers which are such that the homopolymers prepared from these monomers have glass transition temperatures of greater than or equal to 40°C.

Claim 21 (Currently Amended): Cosmetic The cosmetic composition according to Claim 19, in which the block with a Tg of greater than or equal to 40°C, when it is a

Preliminary Amendment

copolymer, is totally or partially derived from one or more monomers, the nature and concentration of which are chosen such that the Tg of the resulting copolymer is greater than or equal to 40°C.

Claim 22 (Currently Amended): Cosmetic The cosmetic composition according to Claim 20-or 21, in which the monomers whose homopolymers have glass transition temperatures of greater than or equal to 40°C are chosen from the following monomers:

- methacrylates of formula

$$CH_2 = C(CH_3)-COOR_1$$

in which R_1 represents a linear or branched unsubstituted alkyl group containing from 1 to 4 carbon atoms, such as a methyl, ethyl, propyl or isobutyl group or R_1 represents a C_4 to C_{12} cycloalkyl group,

- acrylates of formula CH_2 = CH- $COOR_2$ in which R_2 represents a C_4 to C_{12} cycloalkyl group such as isobornyl acrylate, or a tert butyl group,

- (meth)acrylamides of formula:

in which R_7 and R_8 , which may be identical or different, each represent a hydrogen atom or a linear or branched C_1 to C_{12} alkyl group such as an n-butyl, t-butyl, isopropyl, isohexyl, isoectyl or isononyl group; or R_7 represents H and R_8 represents a 1,1-dimethyl-3-oxobutyl group, and R' denotes H or methyl;

- and mixtures thereof.

Claim 23 (Currently Amended): Cosmetic The cosmetic composition according to Claim 22, in which the monomers whose homopolymers have glass transition temperatures of greater than or equal to 40°C are chosen from methyl methacrylate, isobutyl (meth)acrylate, isobornyl (meth)acrylate, and mixtures thereof.

Claim 24 (Currently Amended): Cosmetic The cosmetic composition according to Claim 17, in which the block with a Tg of less than or equal to 20°C is a homopolymer or a copolymer.

Claim 25 (Currently Amended): Cosmetic The cosmetic composition according to Claim 24, in which the block with a Tg of less than or equal to 20°C, when it is a homopolymer, is derived from monomers which are such that the homopolymers prepared from these monomers have glass transition temperatures of less than or equal to 20°C.

Claim 26 (Currently Amended): Cosmetic The cosmetic composition according to Claim 24, in which the block with a Tg of less than or equal to 20°C, when it is a copolymer, is totally or partially derived from one or more monomers, the nature and concentration of which are chosen such that the Tg of the resulting copolymer is less than or equal to 20°C.

Claim 27 (Currently Amended): Cosmetic The cosmetic composition according to Claim 24 or 25, in which the monomers whose homopolymers have glass transition temperatures of less than or equal to 20°C are chosen from the following monomers:

- acrylates of formula $CH_2 = CHCOOR_3$,

 R_3 representing a linear or branched C_1 to C_{12} alkyl group, with the exception of the tert-butyl group, in which one or more hetero atoms chosen from O, N and S is (are) optionally

intercalated, the said alkyl group also possibly being optionally substituted with one or more substituents chosen from hydroxyl groups and halogen atoms (Cl, Br, I and F), or R_3 represents an (alkyl group C_1 - C_{12})-O-POE (POE denoting polyoxyethylene with repetition of the oxyethylene group from 5 to 30 times), such as a methoxy POE group, or R_3 represents a polyoxyethylene group comprising from 5 to 30 ethylene oxide units;

- methacrylates of formula $CH_2 = C(CH_3)-COOR_4$,

 R_4 representing a linear or branched C_6 to C_{12} alkyl group, in which one or more hetero atoms chosen from O, N and S is (are) optionally intercalated, the said alkyl group also possibly being optionally substituted with one or more substituents chosen from hydroxyl groups and halogen atoms (Cl, Br, I or F);

- vinyl esters of formula R_5 -CO-O-CH = CH_2 in which R_5 represents a linear or branched C_4 to C_{12} alkyl group;
 - C₄ to C₁₂ alkyl vinyl ethers;
 - N-(C₄ to C₁₂-alkyl) acrylamides, such as N-octvlacrylamide:
 - and mixtures thereof.

Claim 28 (Currently Amended): Cosmetic The cosmetic composition according to Claim 27, in which the monomers whose homopolymers have glass transition temperatures of less than or equal to 20°C are chosen from alkyl acrylates in which the alkyl chain contains from 1 to 10 carbon atoms, with the exception of the tert-butyl group.

Claim 29 (Currently Amended): Cosmetic The cosmetic composition according to Claim 17, in which the block with a Tg of between 20 and 40°C is a homopolymer or a copolymer.

Claim 30 (Currently Amended): Cosmetic The cosmetic composition according to Claim 29, in which the block with a Tg of between 20 and 40°C, when it is a homopolymer, is derived from monomers (or main monomers) which are such that the homopolymers prepared from these monomers have glass transition temperatures of between 20 and 40°C.

Claim 31 (Currently Amended): Cosmetic The cosmetic composition according to Claim 29, in which the block with a Tg of between 20 and 40°C, when it is a copolymer, is totally or partially derived from one or more monomers (or main monomers), the nature and concentration of which are chosen such that the Tg of the resulting copolymer is between 20 and 40°C.

Claim 32 (Currently Amended): Cosmetic The cosmetic composition according to Claim 29, 30 or 31, in which the monomers whose homopolymer has a glass transition temperature of between 20 and 40°C are chosen from n-butyl methacrylate, cyclodecyl acrylate, neopentyl acrylate and isodecylacrylamide, and mixtures thereof.

Claim 33 (Currently Amended): Cosmetic The cosmetic composition according to Claim 17, in which the first block and/or the second block comprises at least one additional monomer.

Claim 34 (Currently Amended): Cosmetic The cosmetic composition according to Claim 33, in which the additional monomer is chosen from hydrophilic monomers and ethylenically unsaturated monomers comprising one or more silicon atoms, and mixtures thereof.

Claim 35 (Currently Amended): Cosmetic The cosmetic composition according to Claim 34, in which the hydrophilic monomer is chosen from:

- ethylenically unsaturated monomers comprising at least one carboxylic or sulfonic acid function;
 - ethylenically unsaturated monomers comprising at least one hydroxyl function;
 - ethylenically unsaturated monomers comprising at least one tertiary amine function;
 - methacrylates of formula $CH_2 = C(CH_3)$ -COOR₆

in which R_6 represents a linear or branched alkyl group containing from 1 to 4 carbon atoms, the said alkyl group being substituted with one or more substituents chosen from hydroxyl groups and halogen atoms (Cl, Br, I or F);

- methacrylates of formula $CH_2 = C(CH_3)-COOR_9$,

 R_9 representing a linear or branched C_6 to C_{12} alkyl group in which one or more hetero atoms chosen from O, N and S is (are) optionally intercalated, the said alkyl group being substituted with one or more substituents chosen from hydroxyl groups and halogen atoms (Cl, Br, I or F);

- acrylates of formula $CH_2 = CHCOOR_{10}$,

R₁₀ representing a linear or branched C₁ to C₁₂ alkyl group substituted with one or more substituents chosen from hydroxyl groups and halogen atoms (Cl, Br, I or F), such as 2-hydroxypropyl acrylate and 2-hydroxyethyl acrylate, or R₁₀ represents a (C₁ to C₁₂ alkyl)-O-POE (POE denoting polyoxyethylene with repetition of the oxyethylene unit 5 to 30 times), for example methoxy POE, or R₁₀ represents a polyoxyethylenated group comprising from 5 to 30 ethylene oxide units.

Claim 36 (Currently Amended): Cosmetic The cosmetic composition according to Claim 17, in which the said block ethylenic polymer comprises a first block with a Tg of greater than or equal to 40°C and a second block with a Tg of less than or equal to 20°C.

Claim 37 (Currently Amended): Cosmetic The cosmetic composition according to Claim 36, in which the first block with a Tg of greater than or equal to 40°C is a copolymer derived from monomers which are such that the homopolymer prepared from these monomers has a glass transition temperature of greater than or equal to 40°C.

Claim 38 (Currently Amended): Cosmetic The cosmetic composition according to Claims 36 and 37 Claim 36, in which the second block with a Tg of less than or equal to 20°C is a homopolymer derived from monomers which are such that the homopolymer prepared from these monomers has a glass transition temperature of less than or equal to 20°C.

Claim 39 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 36 to 38 Claim 36, in which the proportion of the block with a Tg of greater than or equal to 40°C ranges from 20% to 90%, better still from 30% to 80% and even better still from 50% to 70% by weight of the polymer.

Claim 40 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 36 to 39 Claim 36, in which the proportion of the block with a Tg of less than or equal to 20°C ranges from 5% to 75%, preferably from 15% to 50% and better still from 25% to 45% by weight of the polymer.

Claim 41 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 36 to 40 Claim 36, in which the polymer comprises:

- a first block with a Tg of greater than or equal to 40°C, for example with a Tg ranging from 70 to 110°C, which is a (methyl methacrylate/acrylic acid) copolymer,
- a second block with a Tg of less than or equal to 20°C, for example ranging from 0 to 20°C, which is a methyl acrylate homopolymer, and
- an intermediate block that is a (methyl methacrylate/acrylic acid/methyl acrylate) copolymer.

Claim 42 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 36 to 40 Claim 36, in which the polymer comprises:

- a first block with a Tg of greater than or equal to 40°C, for example ranging from 70 to 100°C, which is a (methyl methacrylate/acrylic acid/trifluoroethyl methacrylate) copolymer,
- a second block with a Tg of less than or equal to 20°C, for example ranging from 0 to 20°C, which is a methyl acrylate homopolymer, and
- an intermediate block that is a (methyl methacrylate/acrylic acid/methyl acrylate/trifluoroethyl methacrylate) random copolymer.

Claim 43 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 36 to 40 Claim 36, in which the polymer comprises:

- a first block with a Tg of greater than or equal to 40°C, for example ranging from 85 to 115°C, which is a an (isobornyl acrylate/isobutyl methacrylate) copolymer,
- a second block with a Tg of less than or equal to 20°C, for example ranging from—85 to -55°C, which is a 2-ethylhexyl acrylate homopolymer, and

288097US0PCT Preliminary Amendment

- an intermediate block that is an (isobornyl acrylate/isobutyl methacrylate/2-ethylhexyl acrylate) random copolymer.

Claim 44 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 36 to 40 Claim 36, in which the polymer comprises:

- a first block with a Tg of greater than or equal to 40°C, for example ranging from 85 to 115°C, which is an (isobornyl acrylate/methyl methacrylate) copolymer,
- a second block with a Tg of less than or equal to 20°C, for example ranging from 85 to -55°C, which is a 2-ethylhexyl acrylate homopolymer, and
- an intermediate block that is an (isobornyl acrylate/methyl methacrylate/2-ethylhexyl acrylate) random copolymer.

Claim 45 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 36 to 40 Claim 36, in which the polymer comprises:

- a first block with a Tg of greater than or equal to 40°C, for example ranging from 95 to 125°C, which is an (isobornyl acrylate/isobornyl methacrylate) copolymer,
- a second block with a Tg of less than or equal to 20°C, for example ranging from -85 to -55°C, which is a 2-ethylhexyl acrylate homopolymer, and
- an intermediate block that is an (isobornyl acrylate/isobornyl methacrylate/2-ethylhexyl acrylate) random copolymer.

Claim 46 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 36 to 40 Claim 36, in which the polymer comprises:

- a first block with a Tg of greater than or equal to 40°C, for example ranging from 85 to 115°C, which is an (isobornyl methacrylate/isobutyl methacrylate) copolymer,

288097US0PCT

Preliminary Amendment

- a second block with a Tg of less than or equal to 20°C, for example ranging from 35 to 5°C, which is an isobutyl acrylate homopolymer, and
- an intermediate block that is an (isobornyl methacrylate/isobutyl methacrylate/isobutyl acrylate) random copolymer.

Claim 47 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 36 to 40 Claim 36, in which the polymer comprises:

- a first block with a Tg of greater than or equal to 40°C, for example ranging from 95 to 125°C, which is an (isobornyl acrylate/isobornyl methacrylate) copolymer,
- a second block with a Tg of less than or equal to 20°C, for example ranging from—35 to 5°C, which is an isobutyl acrylate homopolymer, and
- an intermediate block that is an (isobornyl acrylate/isobornyl methacrylate/isobutyl acrylate) random copolymer.

Claim 48 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 36 to 40 Claim 36, in which the polymer comprises:

- a first block with a Tg of greater than or equal to 40°C, for example ranging from 60 to 90°C, which is an (isobornyl acrylate/isobutyl methacrylate) copolymer,
- a second block with a Tg of less than or equal to 20°C, for example ranging from—35 to 5°C, which is an isobutyl acrylate homopolymer, and
- an intermediate block that is an (isobornyl acrylate/isobutyl methacrylate/isobutyl acrylate) random copolymer.

Claim 49 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 36 to 40 Claim 36, in which:

288097US0PCT

Preliminary Amendment

- the ethylenic polymer comprises a first block or poly(isobornyl acrylate/methyl methacrylate) block with a Tg of 100°C, a second poly(2-ethylhexyl acrylate) block with a Tg of -70°C and an intermediate block that is an (isobornyl acrylate/methyl methacrylate/2-ethylhexyl acrylate) random polymer; and

- the tensioning agent is an aqueous dispersion of colloidal silica.

Claim 50 (Currently Amended): Cosmetic The cosmetic composition according to any one of Claims 36 to 40 Claim 36, in which:

- the ethylenic polymer comprises a first block or poly(isobornyl acrylate/isobornyl methacrylate) block with a Tg of 110°C, a second poly(2-ethylhexyl acrylate) block with a Tg of -70°C and an intermediate block that is an (isobornyl acrylate/isobornyl methacrylate/2-ethylhexyl acrylate) random polymer;

- the tensioning agent is an aqueous dispersion of colloidal silica.

Claim 51 (Currently Amended): Cosmetic The cosmetic composition according to any one of the preceding claims Claim 1, in which the said composition comprises a fatty phase.

Claim 52 (Currently Amended): Cosmetic The cosmetic composition according to Claim 51, in which the said block ethylenic polymer is present in the fatty phase.

Claim 53 (Currently Amended): Cosmetic The cosmetic composition according to any one of the preceding claims Claim 1, in which the said composition comprises an aqueous phase.

Claim 54 (Currently Amended): Cosmetic The cosmetic composition according to any one of the preceding claims Claim 1, which is in the form of an emulsion.

Claim 55 (Currently Amended): Use of an ethylenic polymer as defined according to any one of claims 1 to 48, to A process of improving improve the remanence of the a tensioning effect afforded by the tensioning agent as defined according to any one of Claims 3 to 7 Claim 1, comprising adding an ethylenic polymer as defined according to Claim 1 to the tensioning agent.

Claim 56 (Currently Amended): A cosmetic process of preventing bleaching of skin comprising applying Use of an ethylenic polymer as defined according to any one of Claims 1 to 48, in a cosmetic composition comprising an aqueous dispersion of mineral colloidal particles-and an ethylenic polymer as defined according to Claim 1 to prevent bleaching of the skin.

Claim 57 (Currently Amended): Cosmetic A cosmetic process for treating wrinkled skin intended to reduce the wrinkles and/or the small wrinkles of the skin, comprising a step consisting in applying to the said skin a composition as defined according to any one of Claims 1 to 54 Claim 1.

Claim 58 (Currently Amended): Cosmetic The cosmetic process according to Claim 57, in which the composition is applied to the contour of the eyes.

Claim 59 (Currently Amended): Process The cosmetic process according to Claim 57-or 58, in which the composition is a care composition or a makeup composition.